

# BROILER FEEDING GUIDE

Average Pounds of Feed Per Broiler Consumed During Each One Week Period

## BROILER STARTER

WEEK 1	0.55 <i>lbs</i>
WEEK 2	1.00 <i>lbs</i>
WEEK 3	1.45 <i>lbs</i>
<b>EST. TOTAL</b>	<b>3.00 <i>lbs each</i></b>

## BROILER GROWER

WEEK 4	2.27 <i>lbs</i>
WEEK 5	2.80 <i>lbs</i>
WEEK 6	3.24 <i>lbs</i>
WEEK 7 <i>(optional)</i>	3.49 <i>lbs</i>
WEEK 8 <i>(optional)</i>	3.59 <i>lbs</i>
WEEK 9 <i>(optional)</i>	3.61 <i>lbs</i>
<b>EST. TOTAL</b>	<b>19.00 <i>lbs each</i></b>

EST. FINISH WEIGHT ..... *Approx.* **8–10 *lbs***

DRESS WEIGHT ..... *Approx.* **70% (of Est. Finish Weight)**



These estimates are based on test flocks raised on pasture for a full nine weeks under normal conditions. Results vary greatly, impacted by the quality of living conditions, including weather, stress, and management. Adequate access to clean water should be provided at all times. Always ensure the availability and accessibility of feed. A day without feed will result in weight loss, inhibit growth, and increase aggression; please plan your feed purchases accordingly.



Thank you for supporting organic agriculture!  
For more information, please visit our website & Facebook page,  
or contact us at [mill@coyotecreekfarm.com](mailto:mill@coyotecreekfarm.com).

[www.CoyoteCreekFarm.com](http://www.CoyoteCreekFarm.com)

